

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

## **APPENDIX C**




Fig. 3: Component Editor Window after Startup

heiml Component Editor - Microsoft Internet ...

File Edit Insert Options Help

← → Select MC Edit Insert


Back C.Select Import Mark Page Mark Quick Insert

### Fieldtext

Text field.

Property	Value	Description
Name	<input type="text" value="Guest_Name"/>	Field name.
Size	<input type="text" value="50"/>	Field size in characters.
Maxlength	<input type="text"/>	Limit to the length of the field's value.
Value	<input type="text"/>	Initial field value.
Mandatory	<input type="checkbox"/>	Check to require the user to fill out the field.
Trim	<input checked="" type="checkbox"/>	Check to trim leading and trailing white-space from value.
Descr	<input type="text"/>	A description of the field value.
Disabled	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Like form	Is field disabled?
Password	<input type="checkbox"/>	Check to render input unreadable.

Fig 4: Component Editor Window displaying a Component Edit Page



```

<H1>Database Search & Edit Form</H1>
<P>This is the fill-in form used to create new entries, to search, modify, or delete records
<dbform id=se.dbform1 relation="guestbook" key="Guest_Name" method="post" >
  <table bgcolor="#90bb90" cellspacing=0 cellpadding=5 border=0 >
    <tr><td> Name</td>
      <td><dbfield name="Guest_Name" size=50 mandatory=false trim=true></td></tr>
    <tr> <td> E-Mail</td>
      <td><dbfield name="Email" size=50 mandatory=false trim=true></td></tr>
    <tr><td>Address</td><dbfield name="Address" size=60 mandatory=false trim=true></td></tr>
    <tr><td>Country</td><td><dbfield name="Country" size=60 mandatory=false trim=true></td></tr>
    <tr><td>Comment</td><td> <dbfield name="Comment" rows=5 cols=60></td></tr>
  </TABLE>
  <dbformbutton name="find" type="find" ></dbformbutton>
  <dbformbutton name="modify" type="modify"></dbformbutton>
  <dbformbutton name="delete" type="delete"></dbformbutton>
  <dbformbutton name="clear" type="clear" ></dbformbutton>
</dbform>

```

Fig.5: Page Source of Sample Page




Fig. 6: State of the Art Model for Server Based Internet Applications




Fig. 7: Model for Server Based Internet Applications with ISSCs




Fig. 8





## Generation Algorithm

Parameter  $l$  is a cb-list




Fig. 9: Generation Algorithm




Fig. 10: Example Abstract Syntax Tree (AST)

## Display Method of a Component Class

Parameters:

AST Node: n

Parameter Values given in the Tag marking the Component




Fig.11: Display Method Algorithm Structure

## Component Information Procedure

### Parameters

Component node  $n$  of AST,  
Current component Instance





Fig.20: Component Information Procedure

## Structure Component Editor Client Part



Fig,23: Structure Component Editor Client Part

## Component Editor Client Part Pages




Fig.24: Component Editor Client Part Page Structure



## Component Editor Start Page

Call javascript open function to

- open up the component editor control window
- to load the component editor control page into it (231)

Message 'Component Editor Coming Up Please Wait' (232)  
Links to Application Pages (233)

Fig. 25: Component Editor Start Page



## Component Editor Control Page

Insert Procedure Definition (241)

Cedit Procedure Definition (241)

Load Procedure (242)  
Set Complevel Cookie to 1

Unload Procedure (243)  
Set Complevel Cookie to 0

Frame set for Component Editor Window (244)

- Menu Frame with Menu Page
- Working Frame with initial Help Page

Fig. 26: Component Editor Control Page



## credit Procedure

### Parameters

Window: w

Component Instance Number: cn

Handle Kind (Begin or End Handle): hk




Fig.28: credit Procedure

## Component Edit Page



HTML Form called Component Edit Form (281)

Form Fields one for each possible component attribute  
initially empty (282)

Hidden Component-Kind Field containing Component Kind (283)

Hidden Component Position Field initially empty (284)

Hidden Target Position Field initially empty (285)

Textarea for Component Content (286)

Submit Button(287)

Content Button(288)

Delete Button (289)

Onload Procedure

Copy attribute values from top.editcomp.p  
into attribute form fields (290)  
Copy position of editcomp.p into position field

Fig.29: Component Edit Page

## Component Editor Server Part




Fig.30: Component Editor Server Part

## Process Update

Parameter:

Decoded Form Data Set of component form

Decoded position pos




Fig. 32:  
Process Update  
Procedure